

Loft is a cubic spotlight with minimal shape, able to fit discreetly into any space. The high control of the beam allows for a precise and functional lighting design. Available in three different sizes with narrow or wide beam, Loft allows to play with light and to enhance the most difficult context.

TECHNICAL DESCRIPTION

Die-cast aluminium housing with high corrosion resistance. Stainless steel A4 screws. Aluminium reflectors or with lenses. Clear toughened glass diffuser. Luminaire with one single cable entry and cable gland (MINILOFT / LOFT). Silicone gaskets. Double powder paint.

PROTECTION CLASS
IP66

ISOLATION CLASS
CLASS II \square MICROLOFT
CLASS I \oplus MINILOFT, LOFT

MECHANICAL RESISTANCE
IK 06

REGISTERED DESIGN

COLOURS



.14 Aluminium Grey

.24 Anthracite Grey




www.simes.it/loft-spot

Microloft





S.6560W Spot beam with lens
 LED MODULE **3000K** CRI90 260lm 2,2W
 (on request 2700K CRI90 240lm)
 (on request 4000K CRI80 320lm)
 220V-240Vac 50/60Hz
 ON/OFF Not Dimmable





S.6561W Medium beam with lens
 LED MODULE **3000K** CRI90 260lm 2,2W
 (on request 2700K CRI90 240lm)
 (on request 4000K CRI80 320lm)
 220V-240Vac 50/60Hz
 ON/OFF Not Dimmable


Miniloft





S.6570W Spot beam with lenses
 LED MODULE **3000K** CRI90 774lm 6,2W
 (on request 2700K CRI90 714lm)
 (on request 4000K CRI80 952lm)
 220V-240Vac 50/60Hz
 ON/OFF Not Dimmable




S.6571W Medium beam with reflector
 LED MODULE **3000K** CRI90 1251lm 9,5W
 (on request 2700K CRI90 1195lm)
 (on request 4000K CRI80 1544lm)
 220V-240Vac 50/60Hz
 ON/OFF Not Dimmable




Loft



S.6580W Spot beam with lenses
 LED MODULE **3000K** CRI90 2340lm 19,5W
 (on request 2700K CRI90 2160lm)
 (on request 4000K CRI80 2880lm)
 220V-240Vac 50/60Hz
Dimmable DALI 2 / PUSH




S.6581W Flood beam with reflector
 LED MODULE **3000K** CRI90 3231lm 24,2W
 (on request 2700K CRI90 3071lm)
 (on request 4000K CRI80 3959lm)
 220V-240Vac 50/60Hz
Dimmable DALI 2 / PUSH



Accessory



S.1004
STAKE FOR MINILOFT and LOFT
 In polypropylene
 Colour: black (code .09)



Simes headquarter, Corte Franca, Brescia, Italy - Artwork: Franca Ghitti © Giannattilio Valli

