





Trim single emission



Range extension
Trim double emission



Trim

Applique and bollard

Characterized by square and essential lines, Trim is a structured lighting piece, which is suitable for any type of context, whether classic or modern. It creates a charming atmosphere for the surrounding space. As a result of the union between aluminum and glass, Trim is an extremely versatile solution and it is available in a wide range of design coordinated versions.



reddot award 2017
winner



www.simes.it/trim



TRIM Applique double emission

Die-cast EN AB-47100 aluminium housing with high corrosion resistance.
Toughened glass diffusers 4mm thick.
Electronic circuit 220V/230V 50/60Hz.
Stainless steel screws.
Luminaire hard wired with 1m single neoprene cable.
Silicone gaskets.

Double powdered paint.

Protection class

IP54

Isolation class

CLASS I ⊕

Mechanical resistance of glass

IK 06

Leds 4000K CRI90 versions are available on request.

Visual comfort

Trim double emission has been developed to ensure maximum visual comfort.

The direct light of the front side is diffused by a special glass, to prevent glare and avoid the visibility of the LEDs.

The indirect light is evenly distributed on the wall thanks to a second diffusing glass positioned on the rear side of the luminaire.



For the latest technical information and product updates with LED technology please refer to the official website (www.simes.it)

Colour:

○ White (code 01)

REGISTERED DESIGN

Double emission



S.3160W 

With MID-POWER leds white **3000K**
 CRI90 1800lm
 Rated luminaire luminous flux 860lm
 Rated input power 18W 230V
 Computer-simulated photometrics